

## EU Declaration of Conformity

Product: Lift telephone  
 Type / model: **SL6**  
 Article no: \*SL6, \*SL6-4G, \*SL6-GSM, \*SL6-GSM-BOARD, \*SL6-MAINBOARD, \*SL6-MINI, \*SL6-MINI-4G, \*SL6-MINI-GSM, \*SL6 A+, \*SL6 A+ 3G, \*IF-BOARD-4G  
*Including voice stations:*  
 \*SLB3-COP, \*SLB3-REC-PIC, \*SLB3-REC-PIC-B, \*SLB3-SM-PIC, \*SLB3-SM-PIC-B, \*SLB3-SM-PIC-L, \*SLB-COP, \*SLB-COP2, \*SLB-COP2-L, \*SLB-COP-L, \*SLB-COP-SEP, \*SLB-IF1, \*SLB-IF2, \*SLB-RD, \*SLB-RD-BUT, \*SLB-REC, \*SLB-REC-FIRE, \*SLB-REC-FIRE02, \*SLB-REC-FIREK, \*SLB-REC-FIREK02, \*SLB-REC-LED, \*SLB-REC-PIC, \*SLB-REC-PIC-BUT, \*SLB-SM, \*SLB-SM-LED, \*SLB-SM-PIC, \*SLB-SM-PIC-BUT, \*SLB-SM-PIC-LIGH  
 Manufacturer: SafeLine Sweden AB  
 Year: 2017

We herewith declare under our sole responsibility as manufacturer that the products referred to above complies with the following EC Directives:

### Directives

Radio Equipment (RED):	2014/53/EU
RoHS 2:	2011/65/EU

### Standards applied

EN 81-20:2014	Lift: Safety & Technical requirements
EN 81-28:2003	Lift: Remote alarm on passenger and goods passenger lifts
EN 81-50:2014	Lift: Test and examination requirements
EN 81-70:2003/A1:2004	Lift: Accessibility to lifts for persons including persons with disability
EN 81-72:2015	Lift: Firefighters lifts
CEN/TS 81-76	Lift: Evacuation of disabled persons using lifts (Not harmonized yet)
EN 12015:2014	EMC: Emission, Electromagnetic compatibility
EN 12016:2013	EMC/Lifts: Immunity, Electromagnetic compatibility
EN 62368-1:2014/AC:2015	LVD: Information Technology Equipment
EN 50581:2012	RoHS: Technical doc. for assessment of restriction of RoHS.

For RED 2014/53/EU, the conformity assessment procedure "Module A" used as described in Annex II. Accordingly, respective manufacturer has done the radio modules conformity assessment:

Module	Notified body	Address	NB nr	Test nr
GL865-Dual V3	Dekra Test & Cert	Parque Tecnologico de Andalucia / SeveroOchoa	1909	53051 RBN.001
LE910-EU V2	Dekra Test & Cert	2, 29590 Spain	1909	52382 RCB.001
CYW20732S	NTS Silicon Valley	41039 Boyce Road, Fremont, CA 94538, US	0214.26	R 104750/51

### Standards applied

### Article of Directive 2014/53/EU

EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013	3.1 (a): Health and safety of the user
EN 62311:2008	
EN 301 489-1 v2.1.1 + EN 301 489-52v1.1.0 Draft	3.1 (B): Electromagnetic Compatibility
EN 301 489-17 V3.1.1	
EN 301 511 v12.5.1	3.2: Effective use of spectrum allocated
EN 301 908-1v11.1.1 /-2v11.1.1 /-13v11.1.1	
EN 300 328 V2.1.1	

### Firmware used during assessment

GL865-Dual V3:	16.00.152 / 16.01.150 / 16.01.153
LE910-EU V2:	20.00.402
SafeLine SL6	4.45

Tyresö, 2017-04-07

  
 Lars Gustafsson,

Technical Manager, R&D, SafeLine Group